2105 Pless Drive · Brighton, Michigan 48114 · Phone (810) 229-7575 · Fax (810) 229-8650 · E-mail bai-brighton@sbcglobal.net

April 12, 2016

ATC Associates 46555 Humboldt Dr. Suite 100 Novi, MI 48377

Subject:

Priest (Middle School)

188BS16170

Dear Mr. Smith:

Thank you for making Brighton Analytical, L.L.C. your laboratory of choice. Attached are the results for the samples submitted on 04/04/2016 for the above mentioned project. NELAP/TNI Accredited Analysis and MDEQ Drinking Water Certified Analysis will be identified in their respective reporting formats. Hard copies can be supplied at your request for a fee of \$20.00 per copy.

The invoice for this project will be emailed separately. If you have any questions concerning the data or invoice, please don't hesitate to contact our office. We welcome your comments and suggestions to improve our quality systems. Please reference Brighton Analytical, L.L.C. Project ID 38355 when calling or emailing. We thank you for this opportunity to partner with you on this project and hope to work with you again in the future.

Sincerely, Brighton Analytical, L.L.C.







2	J-	Trans. #		T ignade	Spacial I	10)	(6		8)	7)	6) 3-D.	2) 3/7 (c	やタースー	3) タース・イ	2) J-Dust	1)	Brighton ID #	Standard: 5 business days	1 Day = 2.5 X C	REQUESTED 7	Sample collected by:	FO #: (FLEAS)	no + on Ever	PROJECT #:	PROJECT NAME:				
	Sur Worther (RELINQUISHED BY:	Please fill out the Chain of Custody completely and review. Incorrect or incomplete information will result in a "hold" on all analyses	Special manucuous: It Load or	action conce					À	_ =	Pilest - Dis Gum	F-priest - 13, tohon	Priest - Kitcher	- F Drest by west out	D-Dreit-promentent	Sample Description	siness days	1 Day = 2.5X Cost 2 Day = 2X Cost 3 Day = 1.5X Cost	REQUESTED TURNAROUND: (circle one)		FO#: (FLEASE NOTE IF DIFFERENT BILLING ADDRESS)	188 DS/CH		AME:	brighton, Mr. 40114	2105 Pless Drive	Email: bai-brighton@sheglobal.net	
	5	REG	hain of	19						11	4/	1/1	4/1	4	1/4	4/	Date	Sample Coll.	approved by:		2	(RE33)	DEGG)		<i>5</i>	F dX:	Pho	yucc ton@shcglo	
		RECEIVED BY:	Custod	SAC.							14:4	14.4	14:26	14:25	14:16	14.15	Time	e Coll.	ved by:	If RUSH,						Fax: 010-229-0050	Phone: 810-229-7575	ll, L	1 7
		BY:	y com	H				-			4	نكن	6	N.			1000000	1.7 2004/1993	ES) Y I	over.	- 520				-	29-005	1-229-7	L	1
	F.		letely	rale							×	~	~				HDPI	HNO:	6		Container						575) TM
	7	DATE:	and re	V							Ж.	×	×	×	_	×		E H₂SO E NAOI			Type			A	DW =		ABI	n	BA
8	6	100	eview.	destactions				d d						1 5		- V	GLA:	200	PRESER'	A SOUTH A SOUTH	100000	M = N	F = Filter T = Tube	P = V	= Drinkir 0 = Oil	S = Solid L = Liquid	ABBREVIATIONS FOR MATRIX	3	BA PROJECT #:
	5	TIME:	Incor	ties									10	9	E	i e	STER	ILIZEI	BACT	ERIA	Quantity	Misc.	Filter	P = Wipe Air (Tedlar Bag)	Drinking H_20 O = Oil	Liquid	ATTO	5	ECT #
4	373	Trans.	rect o	Lim							F	The	F	1	To	8	MEO	H Prese	rved Y	ALC: NO	amr	ole N	1 9	15	120		S		
	3	ns.	r inco	大	CALIFILE	500000			1000			X	0	X	2	×	2 5	500		1				/2			Ğ		
		RELI	mplete i	- Sylvalute	Patrick S	-\				US-SEA		~	3) H	×		×	Co	Dis.	e -	1		~ 6	ry	4	(P)			Analysi	
5 9		NQUISHED BY:	nforma	W. Car	Alexander Services		-	+		-			~	H				7	1	_				-	=0		- 5	is Req	
* 1	ž.,	IED B	tion v	FISH				+	+		<u> </u>		×	3	×		L	SP.	D		FL	4 <u>ز</u> ر رد.	(1	-)-	-)+	H		ueste	
		Υ:	vill resu	V.				1			<i>></i>		×		~		- C	OP)	24	_	F-1	.03	H (E) -1	to 1	1	is Requested/Method	
		- 1 19	ilt in a	(majes												Co					Ē							od	
		REC	"hold								8	/8	8	t'	7	4500		1 -	T		1 10	1 -		i		16	_		
	-	RECEIVED BY:	" on all analyses.	CHOIR MOUNTED (Gale/III	≓.	MCL Failure: yes □		Chlorinated Water Supply?	Fax to LCHD? yes					None and	BILLING ADDRESS (IF REQUIRED):		Sample containers and COC match?	Headspace/bubbles in VOA's?	pHs verified in login? yo	Temperature of samples °C:	Samples received within hold time?	FAX OR EMAIL:	PHONE: (34x) 669-5140	ATTIN Rubert Sant	E B	46555 Hum	ATC GNUD	COMPANY/MAILING ADDRESS:	PAGE
		DATE:		ic/illinais/	ne/initials).		AMT:	oly? yes □• no □	yes □ no □	HO				nation	IF REQUIRE	Paris I		N's? yes □ no □ n/a	yes Q no [STEED O	18-PS	Atres	48877	turbout by	Connes done	ILING ADD) of
		TIME:					1	Ø no						6	D):		yek Jano 🗆	n/a			yes no 🗆	XIA	0			0.250	3 646	RESS:	



Brighton Analytical LLC

2105 Pless Drive Brighton, Michigan 48114 Phone: (810)229-7575 (810)229-8650 e-mail:bai-brighton@sbcglobal.net MDNRE Certified #9404 NELAC Accredited #176507

Sample Date/Time: 4/1/2016 Submit Date/Time: 4/4/2016 Report Date:

14:15 12:32

ATC Associates 46555 Humboldt Dr.

4/12/2016

Suite 100 Novi, MI 48377

BA Project #

38355

Project Name: Priest (Middle School) Project Number: 188BS16170

BA Sample ID

CC09077

Sample ID: 1-DWF-P-Priest-by West Ent. by #117

Analyte Name	Result	Units	RL	MCL	Method Reference	Analysis Time	Analysis Date
Drinking Water Metal Analysis							
Total Copper (Drinking Water)	50	ug/L	20	1300	EPA 200.8 rev5.4	17:51	04/08/2016
Total Lead (Drinking Water)	3	ug/L	1	15	EPA 200.8 rev5.4	17:51	04/08/2016

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by



Brighton Analytical LLC

2105 Pless Drive
Brighton, Michigan 48114
Phone: (810)229-7575 (810)229-8650
e-mail:bai-brighton@sbcglobal.net
MDNRE Certified #9404
NELAC Accredited #176507

Sample Date/Time: 4/1/2016 Submit Date/Time: 4/4/2016 14:25 12:32

ATC Associates 46555 Humboldt Dr.

Report Date:

4/12/2016

Suite 100

Novi, MI 48377

BA Project # 38

38355

Project Name: **Priest (Middle School)**Project Number: **188BS16170**

BA Sample ID CC09079

Sample ID: 2-K-P-Priest-Kitchen

Analyte Name	Result	Units	RL	MCL	Method Reference	Analysis	Time	Analysis Date
D. I. I. J. W. A. W. A. I. A. J. J. J.								
Drinking Water Metal Analysis								
Total Copper (Drinking Water)	3400	ug/L	20	1300	EPA 200.8 rev5.4	18:09		04/08/2016
Total Lead (Drinking Water)	34	ug/L	I	15	EPA 200.8 rev5.4	18:09		04/08/2016

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by

Date



Brighton Analytical LLC

2105 Pless Drive Brighton, Michigan 48114 Phone: (810)229-7575 (810)229-8650 e-mail:bai-brighton@sbcglobal.net MDNRE Certified #9404 NELAC Accredited #176507

Sample Date/Time: 4/1/2016 Submit Date/Time: 4/4/2016 14:43 12:32

4/12/2016

ATC Associates 46555 Humboldt Dr.

Suite 100

Novi, MI 48377

BA Project #

Report Date:

38355

Project Name: Priest (Middle School)

BA Sample ID

CC09081

Project Number:188BS16170

Sample ID: 3-DWF-Priest-by Gym

Analyte Name	Result	Units	RL.	MCL	Method Reference	Analysis Tim	e Analysis Date
Drinking Water Metal Analysis							
Total Copper (Drinking Water)	Not detected	ug/L	20	1300	EPA 200.8 rev5.4	18:13	04/08/2016
Total Lead (Drinking Water)	3	ug/L	1	15	EPA 200.8 rev5.4	18:13	04/08/2016

RL=Reported detection limit for analytical method requested. Some compounds require special analytical methods to achieve MDNR designated target detection limits (TDL).

MCL = Maximum contaminant Levels.

Analysis not specifically identified as drinking water are for non-regulatory compliance purposes.

Released by

Date



BRIGHTON ANALYTICAL, LLC

QUALITY ASSURANCE/QUALITY CONTROL

ICP-MS EPA METHOD 200.8/6020

REPRESENTATIVE BATCH PRECISION AND ACCURACY QUALITY CONTROL SUMMARY

Analysis Date: 4/8/2016	Standard ID: 033116 H2O	Batch: 4/6/2016 W3
Matrix Spike Lab ID: CC09095	Matrix: Total	Analyst: LT

	Matrix Spik	e - Precision	*	Matrix Spike	e - Accuracy	**	Miscellaneous***			
Metals	Matrix Spike (ug/L)	Matrix Spike Dup (ug/L)	RPD (%)	Spk Conc (ug/L)	MS Recovery (%)	MSD Recovery (%)	Sample Conc (ug/L)	Method Blk (ug/L)	LCS- Method STD (%)	Ind. Std. SPEX 1&3 (%)
Magnesium	16014	15781	1.5	10000	90.9	88.6	6922	<100	92.2	90.1
Calcium	34432	34111	0.9	10000	92.8	89.6	25151	<100	95.3	93.4
Copper	951	938	1.4	1000	93.7	92.4	14	<1	96.4	96.0
Lead	906	897	1.0	1000	90.4	89.5	2	<1	92.3	91.1

^{*} Matrix spike precision range +/- 20% RPD

** Matrix spike accuracy range +/- 30% recovery

*** LCS accuracy range +/- 15% recovery / Ind std accuracy range +/- 10% recovery